
尚Husqvarna®





ALL-WHEEL DRIVE MOWERS

Tackle tough terrain with all-wheel drive.

Husqvarna all wheel-drive (AWD) mowers provide users with balance and power to all four wheels on hills, uneven terrain and other tough mowing conditions. Featuring 22" heavy-duty steel decks, powerful engines and a 3-in-1 cutting system so you can bag, mulch and side discharge grass clippings. Revolutionary cutting height adjustment, a water hose connector for easy cleaning of the deck and comfort grip control bail are just some of the reasons why Husqvarna AWD mowers take lawn care to a whole new level.

- **Powerful Engines**
- Revolutionary Height Adjusters
- Large Dust Blocking Bag
- Aggressive Tread Wheels
- **■** Convenient Folding Handle
- 3 Year Limited Warranty







HUSQVARNA ALL-WHEEL DRIVE MOWERS ARE ENGINEERED TO OUTPERFORM AND THIS IS WHERE WE START.

PREMIUM HONDA ENGINES

Honda GCV engines deliver superior results for domestic and commercial applications. They feature excellent fuel efficiency, high power output, quiet performance and set the standard for reliable, hard-working engines.



EXCLUSIVE ENDURANCE SERIES ENGINES

Husqvarna's 725exi and 775ex Endurance Series engines provide more durability and lower emissions. These engines give you the power needed for high-performance mowing and feature ReadyStart.® No priming. No choking. Just pull for power.

725exi and 775ex Features:

- Radial Seal Air Cleaner
- Platinum Spark Plug
- Fuel Filter
- ReadyStart® featuring "Starting Promise"
- No oil changes required*
- Extra wide opening for fuel fill*



725exi MID TO HEAVY-DUTY **APPLICATIONS**





775ex **HEAVY-DUTY APPLICATIONS**

INNOVATIVE ALL-WHEEL DRIVE

Increases and secures handling on uneven, difficult terrain, making tough jobs easier with sure-footed All-Wheel Drive.



BLADE BRAKE CLUTCH

Makes it possible to stop the cutting blade while the engine is still running. A very convenient feature when emptying the collector or crossing a gravel path.



CONVENIENT 3-IN-1 CUTTING SYSTEM

Choose the cutting mode that best fits you and your lawn needs. Collection for a tidy lawn, mulching for lawn fertilization or discharge for less frequently cut areas.



WATER HOSE CONNECTION

Facilitates cleaning of the cutting deck. Attach the hose, turn on the water and start the engine and you will get a cleaner deck. For optimum results, clean the mower directly after use.







CHOOSE FROM SEVEN AWD MOWERS FOR 2015



HU625AWD

- Briggs & Stratton 625ex engine
- 22" Cutting Width Vari Speed Deck Wash



HU775AWD

- Briggs & Stratton 775ex engine
- 22" Cutting Width AutoWalk2 Deck Wash



HU725AWD H

- Briggs & Stratton 725exi engine
- 22" Cutting Width AutoWalk2 Deck Wash



HU700AWD

- Honda GCV160 engine 22" Cutting Width
- AutoWalk2 Deck Wash




HU725AWD E[†]

- Briggs & Stratton 725ex engine
- 22" Cutting Width AutoWalk2 Deck Wash



HU725AWD/BBC

- Briggs & Stratton 725ex engine
- 22" Cutting Width AutoWalk2 Deck Wash





LAWN MOWERS

Enjoy impressive results with Air Flow cutting technology.

Whether you want a push mower or self propelled, Husqvarna has a wide range of options to choose from. What they all have in common is a durable design and advanced air flow cutting technology that helps fill the collector bag to the optimum level, for a cleaner result. They're also equipped with a heavy-duty steel deck, powerful engine and blade stop, which allows you to empty the bag while the engine is running. Ideal for homeowners and professionals, there's a Husqvarna mower that suits you and your property perfectly.



- **Powerful Engines**
- Rear or Side Discharge
- Air Flow Cutting Technology
- 3-in-1 Cutting System











7021P

PRECISION-CUTTING MADE SIMPLE

A single-point height adjuster changes the cut height for all four wheels with one handle.



SUPERIOR MANEUVERABILITY

High rear wheels provide better maneuverability on hilly or rough terrain (select models only).



Simple, effective & environmentally friendly

Easy-Starting Honda GCV engine



- Sturdy, durable wheels are easy to roll.
- Extra-hardened reel blade and bedknife for excellent cutting performance and maximum durability.
- Maneuverability allows you to unlock the rear wheels for full-steering to create unique, curved bed shapes, or lock the rear wheels to ensure a straight edge every time.

RWD



Ball-Bearing Wheels

Single-Point Cutting Height Adjustment

HU700H

HUSQVARNA LAWN MOWERS | SPECIFICATIONS

SPECIFICATIONS	HU625AWD	HU725AWD H	HU725AWD E	HU775AWD	
Drive Type	All-Wheel Drive	All-Wheel Drive	All-Wheel Drive	All-Wheel Drive	
Engine	Briggs & Stratton Endurance 625ex	Briggs & Stratton Endurance 725exi	Briggs & Stratton Endurance 725ex	Briggs & Stratton Endurance 775ex	
Engine Displacement (cc)	150	163	190	175	
Starting System	Autochoke	Autochoke	Autochoke	Autochoke	
Wheel Size - Front / Rear (in.)	8 / 8	8 / 11	8 / 8	8 / 8	
Cutting Width (in.)	22	22	22	22	
Discharge	Rear	Rear / Side	Rear / Side	Rear / Side	
Height Adjustment	4-Quick	4-Quick	4-Quick Pin	5-Quick Pin	
Cutting Type	2-in-1	3-in-1	3-in-1	3-in-1	
Drive System	Vari Speed	AutoWalk2	AutoWalk2	AutoWalk2	
Washout Port	Yes	Yes	Yes	Yes	
Part Number	961 45 00-22	961 45 00-19	961 43 01-15	961 43 01-07	

SPECIFICATIONS	HD700AWD	HD725AWD/BBC	725AWD/BBC HU800AWD	
Drive Type	All-Wheel Drive	All-Wheel Drive	All-Wheel Drive	
Engine	Honda GCV160	Briggs & Stratton Endurance 725ex	Honda GCV190	
Engine Displacement (cc)	160	190	190	
Starting System	Autochoke	Autochoke	Autochoke	
Wheel Size - Front / Rear (in.)	8 / 8	8 / 8	8 / 8	
Cutting Width (in.)	22	22	22	
Discharge	Rear / Side	Rear / Side	de Rear / Side	
Height Adjustment	4-Quick Pin	4-Quick Pin 4-Quick Pin		
Cutting Type	3-in-1	3-in-1 3-in-1		
Drive System	AutoWalk2	AutoWalk2	AutoWalk2	
Washout Port	Yes	Yes	Yes	
Part Number	961 45 00-20	961 43 01-04	961 45 00-11	

SPECIFICATIONS	5521P	6751P	7021P	HU550FH	HU700F	HU700H
Drive Type	Push	Push	Push	Front Drive	Front Drive	Rear Drive
Engine	Briggs & Stratton 550ex	Briggs & Stratton Endurance 675exi	Honda GCV 160	Briggs & Stratton 550ex	Honda GCV160	Honda GCV160
Engine Displacement (cc)	140	163	160	140	160	160
Starting System	Autochoke	Autochoke	Autochoke	Autochoke	Autochoke	Autochoke
Wheel Size - Front / Rear (in.)	8 / 12	8 / 12	8 / 12	8 / 12	8 / 12	8 / 11
Cutting Width (in.)	21	21	21	22	22	22
Discharge	Rear / Side	Rear / Side	Rear / Side	Rear / Side	Rear / Side	Rear / Side
Height Adjustment	4-Extended	4-Extended	4-Extended	4-Quick	4-Quick	Single-Point
Cutting Type	3-in-1	3-in-1	3-in-1	3-in-1	3-in-1	3-in-1
Washout Port	No	No	No	Yes	Yes	Yes
Part Number	961 33 00-18	961 33 00-24	961 33 00-19	961 43 00-96	961 45 00-09	961 45 00-23

SPECIFICATIONS	NOVACUT 64		
Blades	5		
Cutting Width (in.)	16		
Cutting Height Steps	Infinite		
Cutting Height (in.)	0.5 - 2.5		
Weight (lbs)	19		
Part Number	964 90 10-30		



*All engine values are rated by the manufacturer. The power rating of the engines indicated is the average net power output (at specified RPM) of a typical production engine for the engine model measured to SAE standard J1349/ISO1585. Mass production engines may differ from this value. Actual power output for the engine installed in the final machine will depend on the operating speed, environmental conditions and other variables.



For more information and to see our complete product range please visit husqvarna.ca